





JCA-UST-010

## Compliance Inspection Sampling Activities by Removal of UST System

LUS	Т	NC	LL	IST
LUS		INC	<i>,</i>	<i>,</i> $\cup$ 1

Inspection date:\_\_\_\_\_EQB employee who performs the inspection:\_\_\_\_\_ UST - 2 -

## **OBJECTIVES**

- 1. Observe the implementation of health and safety measures during field activities, including security control in place. Verify that the Health and Safety Plan is carried out in accordance with the EQB's UST Permanent Closure Guide during all field activities, daily meetings to discuss safety measures, use of personal protective equipment and demarcation of the work area for the protection of the employee and the public in general.
- 2. Verify that all elements of the EQB's UST Permanent Closure Guide are properly implemented.
- 3. Verify that quality control and certainty (QA/QC) protocols, including equipment decontamination, sampling, frequency of quality control sampling, water quality for the blanks, and the calibration of the field instruments are duly implemented.
- 4. Verify that the data generated from the field activities and the sampling activities are valid scientifically and legally defensible.
- 5. Verify that the Sop's used for sampling and decontaminating equipment are correctly implemented.
- 6. Observe the field activities to identify potential errors related to sampling and sending samples including: sampling design, sampling methodology, sample heterogeneity, management and custody of the sample (s).
- 7. Identify the need to implement corrective action.

## **INSTRUCTIONS:**

- 1. Inspection photos should be attached to this report.
- 2. If the sampling points are different from the diagram, a sketch must be made on the corresponding sheet.
- 3. The EQB Technician is authorized to make decisions that facilitate the sampling work and that do not affect what is established in the Permanent Closure Guide. It is not authorized to make modifications or to intervene in the decisions that pertain to the petitioner and/or specialized personnel. In case of reasonable doubt you should contact your immediate supervisor and/or the WQA Manager.

	GENERAL INFORMATION	
1. Project's name:		
2. Physical address:		
3. No. UST:		
4. Contractor:		
	(Name of	the Company)
5. Project manager:		
6. Name of the Inspector:		
7. Scheduled Date Activity:		
	Start date	Finish date

Type of activity to be carried out	Special conditions during sampling	
<ul> <li>□ Degassing tanks</li> <li>□ Installation of groundwater monitoring wells</li> <li>□ Proof of integrity of the tanks and lines</li> <li>□ Removal of fluids or product of the pit</li> <li>□ Removal of residual fluids and fluid resulting from tank washing</li> <li>□ Closure on site</li> <li>□ Removal of concrete or soil</li> <li>□ Field sampling phase</li> <li>□ Removal of tanks and/or pipelines</li> <li>□ Permanent pit closure</li> <li>□ Remediation</li> <li>□ Other (specify)</li> </ul>	Weather conditions:   Sunny   Cloudy   Rain   other: Temp:   Obstacles present at the time of sampling: Access denied   Difficult access to the area by:   Collapse   Vehicular accident   Mechanical failure   Other: Sampling personnel not in the area   Lack of equipment and / or materials to perform sampling   Lack of documentation required by EQB to perform the sampling activities   Dangerous conditions in the area: Sampling and removal of the UST performed without representation of the EQB   Other: It was necessary to cancel the sampling due to the situation indicated   Yes   No Explain: Work resumed?   Yes   No Explain: Yes   No Explain:	
· · · //	Personnel in the project	
Name	Agency / Company Position	

Descrived description	VEC	NO*	21/2
Required documentation	YES	NO*	N/A
Copy of the Closure Plan for UST of EQB			
* Why?		1	
Copy of the Closure Authorization issued by the WQA			
* Why?		1	
General Permit for other works			
* Why?		•	
Access permission duly signed			
* Why?			
Field notebook			
* Why?			
Appropriate Chain of Custody Sheets			
No. Custody Sheets (sequential):			
* Why?			
Notebook or calibration sheet of field instruments			
* Why?			
Health and Safety	YES	NO*	N/A
Health and Safety Officer in the project:			
Does the corresponding talk on health and safety protocols was made to all personnel?			
(Annex 7 of the Permanent Closure Guide)			
* Why?			
Did each person who works in the area or who visits the area beyond the cleaning/security zone sign the			
knowledge and safety plan sheet? (Annex 2 of the Permanent Closure Guide)			
* Why?			
Did each person who works in the area or who visits the area signed the visiting sheet?			
(Annex 3 of the Permanent Closure Guide)			
* Why?			
Is the use of personal protective equipment in accordance with the levels of protection established in the			
Permanent Closure Guide?			
* Why?			
Exposure information according to OSHA placed in a visible place?			
* Why?			
The work areas are demarcated with signs or something visible for:			
☐ Clean area			
☐ Decontamination zone			
☐ Exclusion zone			
* Why?			
Is the list of contacts and emergency numbers available?			
(Annex 4 of the Permanent Closure Guide)			
* Why?			
Is the emergency equipment accessible and listed according to Annex 5 of the Permanent Closure Guide?			
* Why?		<u> </u>	
Was there an accident during the removal work?			
* Why?		1	
Was Annex 6 of the Permanent Closure Guide completed to report that accident?			
* Why?		1	
Was the traffic control adequate and as established in the Permanent Closure Guide?			
* Why?			

Site conditioning, excavation, tank and pipe removal	YES	NO*	N/A
Defined work areas?			
* Why?			
Was slab demolition and soil excavation inspected?			
* Why?			
All heavy equipment was visually inspected prior to starting the day's work, to determine the possible presence of oil stains and vapors from these that could affect the collection of samples and the analytical			
results?			
* Why?	I	I	ı
Was soil tracking conducted by instrument (PID) to establish the existence of vapor concentrations of Volatile Organic Compounds (VOC)?			
* Why?	I	Π	I
Was the equipment (PID) properly calibrated? Was the calibration document verified?			
* Why?	I	T	ı
Was the soil showing detectable concentrations of organic vapors separated from non-impacted material and properly disposed?			
* Why?	T	ı	1
All the PID readings were recorded in the corresponding format? (Annex 1 in the Permanent Closure Guide)			
* Why?			
Was there any reading above twenty-five percent (25%) of the Lower Explosive Limits (LEL)?			
* Why?			
Was it necessary to notify the Fire Department or what precautionary measure were taken?			
* Why?			
Was the product removal verified in Pipes and Tanks?			
* Why?			
The procedures used to remove the product in tanks and pipes were in accordance with established procedures?			
* Why?			
Was all the contents of the tank deposited in 55-gallon or other containers, sealed, clearly identified, properly stored and disposed of as hazardous material?			
* Why?			
Was the tank de-gasified? Degassing method:			
* Why?			
Removal of pipes and tanks was observed?			
* Why?			
From the inspection of the tank and its connections it is observed that they have visible damage by:  □ Filtration as a result of corrosion □ Wear of the lines			
<ul><li>☐ Metal separation</li><li>☐ Structural failures of welds and joints</li><li>☐ Others, Which:</li></ul>			
The removed tank can NOT be used again as a storage tank. Was the tank mutilated with perforations and or cuts?			
* Why?	L		<u> </u>
The excavation area was thoroughly inspected and found:			
<ul> <li>□ Soil discoloration</li> <li>□ Presence of free product</li> <li>□ Emissions of vapors</li> <li>□ Presence of water</li> </ul>			
Others, Which:			
* Why?	VEC	NO*	DI / D
Before taking samples	YES	NO*	N/A
Are the locations of the sampling points demarcated and representative of the conditions of the site? (Indicate it in the sampling point diagram)			
* Why?			
Does the bottom of the excavation have a presence of water?			
A sample of the bottom will be collected in duplicate and the soil samples will be collected 1 to 3			
feets from bottom to top above the water level.			
* Why?			

How are the conditions of the coolers?			
<ul> <li>□ Filtration □ Badly sealed □ Dirty □ In good condition □ With enough ice</li> <li>□ Contains a thermometer at 4oC ± 2oC in a bottle with water</li> </ul>			
<ul><li>Contains a thermometer at 4oC ± 2oC in a bottle with water</li><li>Others, which:</li></ul>			
U Others, which.			
QA / QC samples are present?			
Field Blank ☐ Yes ☐ No (One for each day of sampling and by matrix)**			
Trip Blank			
Equipment Blank			
** It must be opened during the process of taking one of the sampling points for the volatiles and closing i	mmediat	elv after	finishing
each sample at that point.		,	J
*** It must remain inside the cooler and be delivered in conjunction with the samples collected, to the	aborator	y hired.	
What equipment was used to collect the water samples:		-	
☐ Teflon bailer ☐ Peristaltic pump ☐ Dipper ☐ Stainless steel container ☐ Other:			
What equipment was used to collect the soil samples:			
☐ Spatulas: ☐ Stainless steel ☐ "Carbon Steel" ☐ Dedicated ☐ No Dedicated			
☐ Disposable spatulas ☐ Hand Auger ☐ Mechanical shovel (Digger) ☐ Drill or borer			
☐ Mango Form T ☐ Other:			
After sampling	YES	NO*	N/A
Do the sample containers have the labels ("labels") previously stuck, waterproof and filled in all			
their parts? (sample number, matrix, type of sample, preservative, collector signature, date, time, etc.)			
* Why?			
Check that the chain of custody information corresponds to the samples taken.			
* Why?			
Verify that the chain of custody is filled in all its parts as appropriate and signed.			
* Why?			
Check the temperature of the cooler before being sent to the laboratory.			
* Why?			
Was the pit filled with pollution-free material, compatible with existing and compactable land?			
* Why?			
Was all the land removed from the excavations arranged in accordance with what was indicated in			
the closure application of the project?			
* Why?			
During the sampling			
SPECIAL CONSIDERATIONS:			
- Each sample must be deposited in the ice-cooler immediately the same was taken.			
- Duplicate samples should be taken simultaneously or immediately one after the other.			
- The samples have to be deposited in Ziploc plastic bags by parameter and by matrix.			
- The samples will be collected in a Grab (fortuitous) way.			
- After collecting the samples at each sampling point, they should be stored immediately in the co	oler to		
be preserved at the regulatory temperature of 4°C ± 2°C.			
- Take field duplicates (1 duplicate for every 10 samples, 2 for every 20, 3 for every 30, and so on)	١.		
<ul> <li>Do not rinse any of the bottles, especially those containing preservatives.</li> </ul>			
- No bubbles or air spaces should be left in the container containing the sample in the case of VC	Cs.		
<ul> <li>The EQB technician cannot sign the Chain of Custody.</li> </ul>			

																F	15	LI	D.	D.	A'	ГΑ														
										j	M	atı	riz	K: \	So	il																				
				Benzene	Toluene	Xylenes (mixed)	Ethylene dibromide (DBE)	1,2-cis-Dichloroethylene	1,2-trans-Dichloroethylene Methyl Tertiary Butyl Ether (MTBE)	Tertiary Butyl Alcohol (TBA)	Ethanol	Acenaphthene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (g h i) minano	Benzo (k) fluoranthene	Chrysene	Fluoranthene	Fluorene	Naphthalene	Fenanthrene	Pyrene	Lead	he cooler:	-	- Hydrocarbons Odor		- Discoloration				edha iioc			
Identification of the sample	Sample time	PID reading	Depth (feet)	4 Ounces	4 Ounces	4 Ounces	4 Ounces	4 Ounces	4 Ounces			4 Ounces	4 Ounces	4 Ounces	4 Ounces	4 Ounces	4 Ounces	4 Onnes	4 Onnes	4 Ounces	4 Ounces		4 Ounces	4 Ounces	Temperature of the cooler	Yes	s No	Ye	s No	Sandy	Clayey	Gravel	Silt - Slime	Decomposed Rock	Observation	าร
					+	+	$\dashv$							+																						
					$\pm$																															
					+		$\downarrow \downarrow$																													
					$\pm$																															
					+		$\sqcup$																													
					$\pm$	$\pm$								<u></u>																						
					1		$\blacksquare$																													
					+	+	+							1		+																				-
					#		$\prod$																													
					+	+	$\dashv$							+		-								-												

JCA- UST-010

															F	I)E	$\mathbb{E}\mathbb{L}$	D	D	A'	T <i>A</i>	\													
										M	atı	ix	:: \	Wa	ate	er																			
				Benzene	Toluene	Xylenes (mixed)	Ethylene dibromide (DBE)	1,2-cis-Dichloroethylene 1,2-trans-Dichloroethylene	Methyl Tertiary Butyl Ether (MTBE)	Tertiary Butyl Alcohol (TBA)	Ethanol Acenanhthene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) Fluoranthene	Benzo (g,h,i) pyrene	Benzo (k) fluoranthene	Chrysene	Fluorene	Naphthalene	Fenanthrene	Pyrene	Lead	the cooler	, CO	- nyarocarbons odor	:	- Discoloration			Soil type				
Identification of the sample	Sample time	PID reading	Depth (feet)	Vial 40 mL*	Vial 40 mL*	Vial 40 mL*	1 liter glass *	1 liter glass *	Vial 40 mL*		1 liter olass **	1 liter glass **	1 liter glass **	1 liter glass **	1 liter glass **	1 liter glass **	l liter glass **	1 liter glass **	1 liter glass **	sents taut t		1 liter glass **	500 mL plastic *	Temperature of the cooler	Yes	No	Yes	No	Sandy	Clayey	Gravel	Silt - Slime	Decomposed Rock	Obs	ervations
					+																														
					+																														
					$\pm$																														
					+		$\prod$	$\perp$												-	+														
					+		H	+								1					+														
Use of Preservativ	es:	*	*HCl, pl	H<2.		Yes		No.			**1	Va <sub>2</sub> S	S <sub>2</sub> O <sub>2</sub>	3	□ <b>\</b>	Z es		No					<b>♣</b> F	łNO3, p	H<2		Yes		No.						

<b>Diagram or Sk</b> Draw the actual excavation, as it was done	etch and Specify the sampling points
☐ Sampling photographs were taken (Attach them to this form or submit them in digital format)	☐ Sampling photographs were not taken Why?

	EQB Inspector Comments
☐ No deficiencies and/or observa (UST).	tions were observed upon completion of the Closure Inspection of Underground Storage Tanks
	y inspected by an inspector and the following are the observations of the inspector and ):
Additional observations and recom	mended action (s) (if applicable):
Name of the Inspector who perform	as the inspection:
Traine of the hispector who perform	is the hispection.
-	Mold Letter
	Signature
	Inspection Date: